












NEFMAX


NIC40
INTERCOM
UNIT




POWERED BY
FERVES[®]
TECHNOLOGY

-  12 Volt input
-  By-way rs-485 communication protocol
-  Programmable operating scenario
-  9V output for led
-  Contents of the set: intercom card, 2 microphones, 2 speaker, cable set with tubing
-  Dimensions: 11 x 6 x 2.4 Cm
-  Weight: 0.15 kg
-  Ear design suitable for easy installation
-  Anodized coating resistant to corrosion, scratches and mechanical effects
-  Aluminum raw material lightweight case
-  Uv printing resistant to scratch and fading







- 2 PCS SPEAKER
- 2 PCS MICROPHONE
- 2 PCS MICROPHONE CAPSULE
- 1 PCS 6.5 MT MICROPHONE CABLE
- 1 PCS 3.5 MT MICROPHONE CABLE
- CABLE SET



FERVES TEKNOLOJI A.S

📍 KISIKLI MAH. YILDIRAN SK. NO:8 34692 USKUDAR / ISTANBUL TURKIYE

☎ +90 216 344 00 55

✉ sales@ferves.com

🌐 www.ferves.com

FERVES
TECHNOLOGY



@fervesteknoloji




+90 (216) 344 00 55



@fervesteknoloji



@fervesteknoloji



@fervesteknoloji